

# Formica® Doors Collection

Express

THE FIRST AND ORIGINAL  
Est. 1913  
EVOLVED BY LIFE. EVOLVING WITH THE TIMES




● F8240 Liquid Glass




# Colors

● New




F7459  
Brite White

MAT




F7949  
Soft White

MAT




F1040  
Alpino

MAT



F2296  
Sno White

MAT



F2255  
Polar White


MAT

● New



F7927  
Folkestone

MAT




F8240  
Liquid Glass

MAT



F7961  
Fog

MAT



F7928  
Mouse

MAT



F7912  
Storm

MAT


● New



F8793  
Green Slate

MAT

● New



F2297  
Terril

MAT



F8242  
Night Sea


MAT

● New



F8244  
Night Forest

MAT



F2253  
Diamond Black

MAT


# Woods

● New



F1549  
Tromso Maple

MAT



F8843  
Natural Ash

MAT



F3855  
Clear Maple

MAT



F0190  
Finn Beech


MAT



F5374  
Elegant Oak

MAT

## Sheets layouts\*



\*Woodgrain full sheet layouts shown on this page are provided for guidance only  
Full sheet sizes are represented in 2150 x 950 mm, at approximately 1:27 scale.

# Woods

● New



F8587  
Peruca Walnut

MAT


● New



F8586  
Cetina Walnut

MAT

● New



F1548  
Mocha Cedar

MAT

● New



F1547  
Noir Cedar


MAT



F5477  
Ebony Oak Cross

MAT

## Sheets layouts\*



\*Woodgrain full sheet layouts shown on this page are provided for guidance only  
Full sheet sizes are represented in 2150 x 950 mm, at approximately 1:27 scale.

# Product grade, finish and accreditations.

This Collection incorporates the following grade of decorative laminate.

**This grade conforms to EN438.**

## Formica® Laminate

Sheets (thin) consisting of layers of wood-based fibers impregnated with thermosetting resins and a surface decor on one side

**Grade:** HPL/EN 438-3 HGS: Horizontal, General Purpose, Standard high pressure decorative laminate

**Thickness:** 0.7mm (nominal), single sided

**Additional sheet sizes and flame retardant grades are available on request (please check for available options)**

**Product data sheets & technical information can be accessed on formica.info**

### Available surface finish and recommended application

Surface Finish Description	Surface Finish Designation	Code	Recommended applications
Matte 58	MAT	58	Horizontal (& Vertical), General purpose

## Doors Collection Express

Code	Decor	Range	NCS®	RAL Classic	LRV	Sheet size (mm) 2150x950 Grade: HGS
F0190	Finn Beech	Woods	-	-	40.8	MAT
F1040	Alpino	Colors	S 0502-G50Y	9010	86.9	MAT
F1547	Noir Cedar	Woods	-	-	10.3	MAT
F1548	Mocha Cedar	Woods	-	-	28.8	MAT
F1549	Tromso Maple	Woods	-	-	54.9	MAT
F2253	Diamond Black	Colors	S 9000-N	9011	6.7	MAT
F2255	Polar White	Colors	S 0500-N	9016	85.7	MAT
F2296	Sno White	Colors	S 0502-Y	9010	85.8	MAT
F2297	Terril	Colors	S 7502-B	7016	9.6	MAT
F3855	Clear Maple	Woods	-	-	52.2	MAT
F5374	Elegant Oak	Woods	-	-	35.0	MAT
F5477	Ebony Oak Cross	Woods	-	-	11.4	MAT
F7459	Brite White	Colors	S 0502-B	9003	78.7	MAT
F7912	Storm	Colors	S 6502-B	7015	14.8	MAT
F7927	Folkestone	Colors	S 2500-N	7035	53.5	MAT
F7928	Mouse	Colors	S 5000-N	7037	25.0	MAT
F7949	Soft White	Colors	S 0500-N	9016	86.2	MAT
F7961	Fog	Colors	S 4000-N	7004, 7036	37.0	MAT
F8240	Liquid Glass	Colors	S 2005-B20G	-	56.4	MAT
F8242	Night Sea	Colors	S 7020-R90B	-	8.4	MAT
F8244	Night Forest	Colors	S 8010-B30G	6012	7.9	MAT
F8586	Cetina Walnut	Woods	-	-	27.9	MAT
F8587	Peruca Walnut	Woods	-	-	42.6	MAT
F8793	Green Slate	Colors	S 6005-G20Y	7009	18.5	MAT
F8843	Natural Ash	Woods	-	-	53.3	MAT

### General

The information given in this brochure is correct at the time of publication. However, as we have a policy of constant product development and improvement, product specifications may change in the future. Visit [www.formica.com](http://www.formica.com), or [formica.info](http://formica.info) for technical data, as the most up-to-date source of information.

Not all certifications stated are applicable or available for all Formica® products. Please check that the product you require is covered by a relevant certification or is suitable for your specific application, in advance of order placement.

### Colour system notations

NCS® and RAL Classic notations represent the closest match available in the particular system. They may or may not be exact and are provided for guidance only. NCS and RAL Classic notations provided have been established from a standard matt laminate sample. Please note that different surface finishes (texture structure and gloss levels) can have an effect on colour perception. When exact colour information is required, or for cross-material matching (HPL to other materials), please always refer to an actual laminate sample in the

specified finish.

### Light Reflectance Value

Light Reflectance Value (LRV) is a value indicating the proportion of light reflected by a colour, when measured under standard daylight conditions.

This guidance uses a scale of 0-100, where 0 = black and therefore total light absorption, whereas white = 100 and therefore total light reflection. The main purpose of this value is to indicate measured colour contrast between two surfaces, which need to be readily distinguishable within an environment (under static conditions, a difference of 30 units between two colours is considered adequate). LRVs stated may or may not be exact and are provided for guidance only.

### Please note

For non-solid colour decors, where there are multiple colours across the design, the stated LRV is an average value taken from multiple measurements across the décor and must be used with caution. The individual colours in a pattern, woodgrain or stone design can differ more than 30 LRV units within the design itself.



© Property of and used on licence from the Scandinavian Color Institute AB, SCI-Sweden, Stockholm 2013.



## Style, durability and express availability.

Doors Express combines 25 of the most popular decors and a selection of new designs from the Formica® Door Collection.

Durable and hygienic, the inherent properties of our laminate make it an ideal choice for functional, high-traffic interior door applications. A high performance surfacing solution, finished doors that use Formica® laminates will maintain their quality and beauty over time.

Providing sheet to sheet consistency, our express sheet size of 2150 x 950 mm provides maximum efficiencies in conversion, to reduce material waste and processing time.

Best of all, the Formica Door Collection Express range is in stock in the UK now - to support your immediate needs.



### Disclaimer

#### General

The information provided by Formica Group ("Formica") in this document is solely indicative. The information given in this brochure is correct at the time of publication. However, as we have a policy of constant product development and improvement, product specifications may change in the future. Visit [www.formica.com](http://www.formica.com), or [formica.info](mailto:formica.info) for technical data, as the most up-to-date source of information. Formica does not warrant that the information in this document is suitable for your specific purpose. Colour system notations represent the closest match available in the particular system. They may or may not be exact and are provided for guidance only. When exact colour information is required, please always refer to an actual laminate sample in the specified finish.

Formica Group  
Contact: 0191 259 3100  
Samples: 0191 259 3512  
[samples.uk@formica.com](mailto:samples.uk@formica.com)

#### Liability

Formica is not liable (neither contractual nor non-contractual) for any damage arising from or related to the use of this document, except if and to the extent that such damage is the result of willful misconduct or gross negligence on the part of Formica and/or its management. The limitation of liability applies to all parties affiliated with Formica, including but not limited to its officers, directors, employees, affiliated enterprises, suppliers, distributors, agents, and representatives.

#### General Conditions

All sales of Formica® brand products are governed by the Formica General Terms and Conditions of Sale in effect at the time of sale and contained in every order acknowledgement and are available upon request.

#### Intellectual Property

All intellectual property rights and other rights regarding the content of this document (including logos, marks, text and photographs) are owned by Formica Group and/or its licensors.

Formica and the Formica Anvil Device are registered trademarks of The Diller Corporation.  
© 2021 The Diller Corporation